Family Care Associates Recommended Well Child Exam Schedule:

Newborn check:	2-12 days following discharge from hospital
2 Week Well Child Exam:	Check-up with no vaccines
1 month Well Child Exam:	Patient will receive Hepatitis B vaccine. (one injection)
2 month Well Child Exam:	Patient will receive Pentacel (DTap,IPV,HIB) and Prevnar vaccines. (two injections)
4 month Well Child Exam:	Patient will receive Pentacel (DTap,IPV,HIB) and Prevnar vaccines. (two injections)
6 month Well Child Exam:	Patient will receive Pentacel (DTap,IPV,HIB) and Prevnar vaccines. (two injections)

9 month Well Child Exam: Patient will receive Hepatitis B vaccine and have CBC blood test in office. Your insurance company may also require a lead blood test at this time- this may also be performed in our Cynthiana office. (one injection and one fingerstick)

12 month Well Child Exam:	Patient will receive Proquad (Varicella and MMR) and Hepatitis A vaccines. (two injections)
15 month Well Child Exam:	Patient will receive Prevnar vaccines. (1 injection)
18 month Well Child Exam:	Patient will receive Pentacel (DTap,IPV,HIB) and Hepatitis A vaccines. (two injections)
2yr Well Child Exam:	Lead test if required by insurance carrier or recommended by FCA Provider. (one fingerstick)
3yr Well Child Exam :	Annual check-up with no vaccinations
4 year Well Child Exam : have Lead blood test performed injections and one fingerstick)	Patient will receive Dtap, IPV, Proquad (Varicella and MMR) vaccines and d in office if not previously performed and required by insurance carrier. (three
5-10 yr Well Child Exams-	Annual check-up with no vaccinations

11yr Well Child Exam: Patient will receive Adacel (TDap), Meningitis and Gardisil (recommended for females and males). (3 injections)

Annual Flu Vaccines recommended for all patients age 6 months and older

Preservative Free Flu Vaccine available for 6 months-36 months and Fluzone available for ages 6 months and older. Flumist- the intranasal (into the nose) vaccine available for ages 2yr-49yr (This is a live virus so patients receiving this vaccine must not have asthma, any respiratory conditions, must not be immunocompromised or be around other patients who may be immunocompromised.)